

The background of the brochure is a photograph of a modern building under construction. The building has large glass windows and balconies. Scaffolding is visible around the structure. The image is overlaid with a blue geometric pattern of overlapping triangles and lines. The text 'CORPORATE BROCHURE' is centered in the lower right quadrant of the image.

CORPORATE BROCHURE

*Suppliers of Quality
Safe Access Solutions*

We strive to provide the
best value **Access Solutions**
for our clients without
compromising on safety,
reliability and quality.



Contents

1.	Mobile Scaffolds	>	4
2.	Stairway / Fibreglass	>	6
3.	Quick Ally	>	7
4.	Layher: All Round	>	9
5.	Layher: Stairs & Ramps	>	10
6.	Swinging Stage	>	11
7.	Elevating Work Platforms	>	12
8.	Other Products	>	13



1

MOBILE SCAFFOLDS

The Instant range of mobile towers has continued to grow providing a range of options to suit many applications.

INSTANT SNAPPY

No more step ladders. The 'Instant Snappy' is a compact, lightweight work platform which folds up for easy storage and transportation. Offering a platform height of 0.4, 0.8, 1.2 and 1.9 (with extension kit).

Available in aluminium and fiberglass.

Width: 0.74m, 1.35m

Length: 1.8m

Safe work load: 225kg

Max Platform Height :

0.4m, 0.8m, 1.2m

1.9m (with extension kit)



INSTANT SINGLE WIDTH TOWER

Width: 0.74m

Length: 1.8m, 2.4m, 3.0m

Safe work load: 450 kg

Max Platform Height:

1.5m freestanding

5.5m with outriggers

INSTANT DOUBLE WIDTH TOWER

Width: 1.37m

Length: 1.8m, 2.4m, 3.0m

Safe work load: 450kg

Max Platform Height :

3.6m freestanding

7.0m with outriggers



FOLDA FRAME

Ship in a bottle principle. Will passthrough a manhole opening then fold out to a Double Width Scaffold

Width: 1.37m

1

MOBILE SCAFFOLDS

Instant 260 Series

Imported product that is compatible with most other similar products.

500mm Rung Spacing.

Ideal for rental industry.

2.6mm Wall thickness.

Built to Instant Scaffolds standards.

Specials

Instant Standard equipment is an excellent product for indoor specials & light duty projects such as painting, cleaning and light duty repair work.



2

STAIRWAY/FIBREGLASS

INSTANT STAIRWAY SCAFFOLD

The perfect solution for ceiling and wall Accesson stairs.
Baseunit folds up for ease of transport.

Length: 1.8m
Base Height: 0.7m, 2.0m
(Forms a level platform which can be added to using standard Instant Single Width Series 400 Components)




“GENEX” FIBREGLASS SCAFFOLD

Unitec Fibreglass Scaffold is a quality Italian-made product

Width: 0.73m, 1.37m
Length: 2.0m, 2.5m, 3.05m

Pro Safe Same Unitec features with integrated ladder. It's bright yellow colour distinguishes it anywhere.

Width: 0.73m, 1.37m
Length: 2.0m, 2.5m, 3.05m



3

QUICK ALLY

QUICKALLY - Aluminium System Scaffold Manufactured in Australia

This modular system scaffold is manufactured from 3mm wall thickness structural Aluminium tube making it ideal for light-medium duty projects.

With reduced floor loadings, longer bridging and clear walk through access, Quick Ally will save you time and money.

Length/Width: 0.7m, 1.2m, 1.8m, 2.4m, 3.0m
Safe Working Load: 225kg - 450kg
Height: 25m (based on a standard design)

Polymer decking on platforms provides a nonslip surface and are easily repaired.

Access is available in standard stairway, stretcher way or ladder.



4

LAYHER: ALL ROUND

Layher is the world's largest producer of modular scaffolding systems, and that's why Layher is Instant Scaffolds' steel scaffold of choice.

Layher All Round Scaffolding Systems meet all European & Australian/ New Zealand standards, are work cover registered and ISO 9001 & ISO 9002 certified.



Layher's back up service is second to none and provides technical advice and support in a wide range of industries from Industrial, Petro Chemical, Energy Sector, Construction and Events.

Save up to 60% in Labour costs over Kwik Stage Type scaffolding and weighing 42% less.

GERMAN
MADE
QUALITY
PRODUCT



5

LAYHER: STAIRS, RAMPS & VIEWING

LAYHER STAIRS: Construction - Events - Public Access



Stretcher Access Stairs



EV Ramps
Ideal for Construction,
Events and Public Access



Single Stairs

Viewing Towers.
Ideal for displaying views



6

SWINGING STAGE

SWINGING STAGE / SUSPENDED SCAFFOLD

Swinging Stages, Suspended Scaffolds and Gondolas are names that are commonly used for products designed to take men, tools and materials to heights safely and efficiently.

Walk-thru Stirrups




Standard



Pushout



Double



MODULAR SYSTEM

The Modular Stage System comes in modules of 1.0m, 2.0m, 3.0m, to a maximum length of 16.0m.

The modular system can also be assembled to angles such as 20°, 30°, 45°, 60°, 72° and 90°.

The modular system has a standard end stirrup or a 'Walk Through Stirrup' which can be set at a maximum of 2 meters from end of winch. The modular system is also available with a telescopic push out deck system and double deck solutions.

MONORAIL TRACK

Aluminium I beams at 3.0m long set up across face of building to give complete elevation coverage from one swinging stage.



Monorail Track

6

SWINGING STAGE WINCHES

ASTRO

The Astro Hoist by Powerclimber has been our winch of choice for more than 30 years and over this time it has been an extremely reliable and versatile winch.

Available in Air or Electric modes.

- Standard built-in features include :
- Overspeed Safety Device acting on suspension rope incorporating electric interlock and reset
- “No Power” Emergency Descent Control
- Top Limit Switch
- Electro Mechanical Overload Device
- Emergency Stop Button



TITAN 501

The latest winch from Powerclimber.

- Polymer covers to protect from dirt and moisture
- Ergonomic and easy to carry with multiple handles
- Easy to service, with all electrical components on one removable motherboard
- Stability support keeps the hoist upright for easy storage and transport



BISOMAC 210

The next generation in hoist is available in 600kg (single phase).

The Bisomac's advanced technology and high grade materials ensure the hoist is of exceptional quality (long life span) and easy maintenance.

The Hoist's cooling system allows high speeds to be achieved safely 200m non-stop.



7

ELEVATING WORK PLATFORMS

Instant Scaffolds has a growing fleet of 'EWP's' (Elevating Work Platforms) giving you a choice of machines to meet on-site requirements.



PUSH AROUND

A lightweight scissortype platform allowing a reach height of up to 3.6 meters.

A small robust Scissor Lift built to withstand the demands of everyday use on site.

'AWP' AERIAL WORK PLATFORM

Our range of AWP Vertical Lifts offer heights of over 9 meters and are battery or mains powered.

Ideal for areas that are load sensitive or where access is limited.

These units can easily be transported on a trailer or tray back Ute.



VERTICAL LIFTS

A Single person work platform. Light-weight ideal for high-rise maintenance which makes lift capacity reduced.



7

ELEVATING WORK PLATFORMS

BOOM LIFTS - ARTICULATED BOOM LIFT

Articulate Boom Lifts -Knuckle Booms are available in varied sizes and heights. They can be electric or diesel powered 2WD or 4WD.

The key feature of the Knuckle Boom is its up and over reach.



STRAIGHT STICK BOOMS

These can be electric or diesel powered 2WD or 4WD.

A key feature of Straight Stick Booms is their height and reach capability.



CHERRY PICKERS

Cherry Pickers are similar to Boom Lifts. We offer trailer mounted units or Track Machines (Spiders) and are either diesel or electric powered.



7

ELEVATING WORK PLATFORMS

ELECTRIC SCISSOR LIFTS

Electric ScissorLifts are used on flat slab applications. There are many height, width, and length configurations making the use of the Electric ScissorLift suitable in a wide variety of environments.



DIESEL SCISSOR LIFTS

Rough Terrain.
A popular class of ScissorLift, the Rough Terrain or 'RT' diesel powered for extra grunt in outdoor situations

Also RT in electric.



INSTANT EDGE PROTECTION

"Speedsafe" is the system we use to protect you when your working on roofing, or slab structures, where edge protection is a requirement. Speedsafe edge protection is designed and tested to Australian standards. A range of Purlin, Gable, Parapet systems are available.



8

OTHER PRODUCTS

RUBBISH CHUTES

Attach to scaffolding or structure to move waste materials from heights.



TEMP FENCING

Our fencing systems are designed for longlife and regular use. Panel size 2.4m x 2.1m.

SPAN DECKS

An aluminium deck up to 7.3 meters long with hooks to attach to scaffolds or can be used to span between structures.



FITTINGS





Address: 12 Bellows St, Welshpool WA 6106
Queensland 29/97 Creek St, Brisbane QLD 4000
Phone (08) 9451 9400 | Fax (08) 9451 9444
Email iswa@elevateaccess.com.au
www.elevateaccess.com.au